



2023

Downlights Catalogue



Company History

Back in 2014 in a small commercial unit in Wandsworth, DRK Lighting Remedies was born. With only a handful of clients and limited resources our small lighting company had managed to navigate through the industry outperforming those around at us the time. Word quickly spread about our quality of work and client satisfaction.

Only 5 years on in 2019 we moved to a larger premises and doubled our staff to keep up our astounding reliability. Our day one clients have remained with us but now we are dealing with some of the biggest electrical contractors in the country. We are so grateful for having the opportunity to regard all of our clients as of equal importance to us.

We pride ourselves on our second-to-none customer relations. We support all of our clients with frequent site visits to guide and advise them on the project at hand – right through from starting to finishing stage. Although our sales office operates at standard times, we allow our clients to reach us day and night – we're not shy of working weekends and extended hours to help secure your needs. We are now fully resourced with the ambition to take on the specification market. We stand behind our brand and know that our products are expertly engineered.



Contents

LED DOWNLIGHT

IP20/IP44 SERIES



IP65 SERIES



LED SPOTLIGHT


MODULAR SERIES



ECO SERIES



LED STRETCHABLE SPOTLIGHT



TRIMLESS SERIES



LOW-GLARE COB DOWNLIGHT



○ white ● black ○ silver

CREE CITIZEN

TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz

Ra CRI > 80/CRI > 90/CRI > 95

DALI/TRIAC/1-10V

12° / 24° / 38° / 55°

Φ70mm/Φ85mm/Φ120mm/Φ160mm
Φ195mm



LOW-GLARE COB DOWNLIGHT

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DL03-C10	10W	3000K/4000K/5000K	90~100lm/w	Φ86 x H55mm	Φ70mm	5 years
DRK-DL04-C15	15W			Φ101 x H60mm	Φ85mm	
DRK-DL05-C30	30W			Φ140 x H73mm	Φ120mm	
DRK-DL06-C35	35W			Φ180 x H94mm	Φ160mm	
DRK-DL06-C40	40W			Φ180 x H94mm	Φ160mm	
DRK-DL08-C50	50W			Φ212 x H110mm	Φ195mm	



UGR<19

SWITCH TO SET CCT



C 6000K



CW 4000K





W 3000K











3CCT SWITCHABLE DOWNLIGHT

3CCT SWITCHABLE DOWNLIGHT




○ white
● black
○ silver


-  BRIDGELUX SMD
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  70°
-  Φ70mm/Φ90mm/Φ105mm/Φ140mm
Φ165mm/Φ200mm





Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DL03DX-S6	6W	3CCT Switchable: 3000K/4000K/6000K	90~100lm/w	Φ90 x H45mm	Φ70mm	5 years
DRK-DL04DX-S9	9W			Φ105 x H65mm	Φ90mm	
DRK-DL05DX-S15	15W			Φ130 x H68mm	Φ105mm	
DRK-DL06DX-S18	18W			Φ165 x H90mm	Φ140mm	
DRK-DL07DX-S25	25W			Φ190 x H95mm	Φ165mm	
DRK-DL08DX-S35	35W			Φ225 x H105mm	Φ200mm	










LED GIMBAL DOWNLIGHT



white black silver





-  CREE CITIZEN PHILIPS
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  15°/24°/38°/60°
-  Φ75mm/Φ95mm/Φ110mm/Φ125mm
Φ145mm/Φ175mm

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DL03G-C12	12W	2700K/3000K/4000K/ 5000K	90~100lm/w	Φ90 x H60mm	Φ75mm	5 years
DRK-DL03.5G-C15	15W			Φ102 x H80mm	Φ90mm	
DRK-DL04G-C25	25W			Φ124 x H108mm	Φ110mm	
DRK-DL05G-C30	30W			Φ140 x H115mm	Φ125mm	
DRK-DL06G-C30	30W			Φ160 x H135mm	Φ145mm	
DRK-DL06G-C40	40W			Φ160 x H135mm	Φ145mm	
DRK-DL08-C50	50W			Φ190 x H160mm	Φ175mm	

IP65 DOWNLIGHT SERIES

ROUND AND SQUARE
4 COLOURS | 4 SIZES












IP65 DOWNLIGHT SERIES










IP65 DOWNLIGHT SERIES



-  CREE CITIZEN
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  15° /24° /38° /60°
-  $\Phi 90\text{mm}/\Phi 125\text{mm}/\Phi 120\text{mm}/\Phi 160\text{mm}$



-  CREE CITIZEN
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  15° /24° /38° /60°
-  90 x 90mm/ 125 x 125mm/ 145 x 145mm/ 165 x 165mm


Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DLR04IP-C18	18W	3000K/4000K/5000K	90~100lm/w	$\Phi 100 \times H64\text{mm}$	$\Phi 90\text{mm}$	5 years
DRK-DLR05IP-C28	28W			$\Phi 136 \times H83\text{mm}$	$\Phi 125\text{mm}$	
DRK-DLR06IP-C38	38W			$\Phi 158 \times H96\text{mm}$	$\Phi 145\text{mm}$	
DRK-DLR07IP-C48	48W			$\Phi 180 \times H109\text{mm}$	$\Phi 165\text{mm}$	








Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DLS04IP-C18	18W	3000K/4000K/5000K	90~100lm/w	100 x 100 x H64mm	90 x 90mm	5 years
DRK-DLS05IP-C28	28W			136 x 136 x H83mm	125 x 125mm	
DRK-DLS06IP-C38	38W			158 x 158 x H96mm	145 x 145mm	
DRK-DLS07IP-C48	48W			180 x 180 x H109mm	165 x 165mm	


IP65 WATERPROOF LED DOWNLIGHT



○ white ● black ○ silver







-  SMD 2835
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  100°
-  Φ 75mm/ Φ 95mm/ Φ 110mm/ Φ 160mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-DLR03IP-S7	7W	3000K/4000K/5000K	90~100lm/w	Φ 95 x H47mm	Φ 75mm	5 years
DRK-DLR04IP-S15	15W			Φ 112 x H50mm	Φ 95mm	
DRK-DLR05IP-S15	15W			Φ 145 x H50mm	Φ 110mm	
DRK-DLR06IP-S28	28W			Φ 190 x H50mm	Φ 160mm	



MODULAR LED SPOTLIGHT



fixed


adjustable

round


oval








square


MODULAR LED SPOTLIGHT



LED SPOTLIGHT: MODULAR SERIES





-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  8°/15°/24°/38°/60
-  Φ 55mm/ Φ 75mm/ Φ 95mm





Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP01R-C7	7W	3000K/4000K/5000K	80~90lm/w	Φ 62 x H79mm	Φ 55mm	5 years
DRK-SP01R-C12	12W			Φ 84 x H100mm	Φ 75mm	
DRK-SP01R-C20	20W			Φ 110 x H121mm	Φ 95mm	


LED SPOTLIGHT: MODULAR SERIES




 CREE CITIZEN BRIDGELUX


 TRIDONIC PHILIPS LIFUD


 AC 200~240V 50/60Hz

 CRI > 80/CRI > 90/CRI > 95

 DALI/TRIAC/1-10V

 8° / 15° / 24° / 38° / 60°

 55 x 55mm / 75 x 75mm / 95 x 95mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP01S-C7	7W	3000K/4000K/5000K	80~90lm/w	L64 x W64 x H88mm	55 x 55mm	5 years
DRK-SP01S-C12	12W			L85 x W85 x H112mm	75 x 75mm	
DRK-SP01S-C20	20W			L105 x W105 x H138mm	95 x 95mm	




LED SPOTLIGHT: MODULAR SERIES



- white
- black
- gloss silver
- golden
- gun black
- dull silver




- CREE CITIZEN BRIDGELUX
- TRIDONIC PHILIPS LIFUD
- AC 200~240V 50/60Hz
- CRI > 80/CRI > 90/CRI > 95
- DALI/TRIAC/1-10V
- 8°/15°/24°/38°/60°
- Φ 55mm/ Φ 75mm/ Φ 95mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP01RT-C7	7W	3000K/4000K/5000K	80~90lm/w	H79mm	Φ 55mm	5 years
DRK-SP01RT-C12	12W			H100mm	Φ 75mm	
DRK-SP01RT-C20	20W			H121mm	Φ 95mm	


LED SPOTLIGHT: MODULAR SERIES



- white
- black
- gloss silver
- golden
- gun black
- dull silver



- CREE CITIZEN BRIDGELUX
- TRIDONIC PHILIPS LIFUD
- AC 200~240V 50/60Hz
- CRI > 80/CRI > 90/CRI > 95
- DALI/TRIAC/1-10V
- 8°/15°/24°/38°/60°
- 58 x 58mm/ 77 x 77mm/ 97 x 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP01ST-C7	7W	3000K/4000K/5000K	80~90lm/w	H88mm	58 x 58mm	5 years
DRK-SP01ST-C12	12W			H112mm	77 x 77mm	
DRK-SP01ST-C20	20W			H138mm	97 x 97mm	

LED SPOTLIGHT: MODULAR SERIES



DRK-SP0102R



CREE CITIZEN BRIDGELUX

TRIDONIC PHILIPS LIFUD

AC 200~240V 50/60Hz


Ra CRI >80/CRI >90/CRI >95

DIMMABLE DALI/TRAIC/1-10V


8°/15°/24°/38°/60°

126 x 65mm/178 x 88mm/223 x 109mm/120 x 60mm/164 x 77mm/207 x 95mm


DRK-SP0102S




LED SPOTLIGHT: MODULAR SERIES



DRK-SP0102ST



DRK-SP0102ST



CREE CITIZEN BRIDGELUX

TRIDONIC PHILIPS LIFUD

AC 200~240V 50/60Hz

Ra CRI >80/CRI >90/CRI >95

DIMMABLE DALI/TRAIC/1-10V

8°/15°/24°/38°/60°


129 x 68mm/180 x 91mm/225 x 111mm/123 x 62mm/167 x 80mm/ 209 x

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP0102R-C14	2 x 7W	3000K/4000K/5000K	80~90lm/w	L140 x W79 x H84mm	Φ126 x 65mm	5 years
DRK-SP0102R-C24	2 x 12W			L194 x W104 x H112mm	Φ178 x 88mm	
DRK-SP0102R-C40	2 x 20W			L239 x W125 x H134mm	Φ223 x 109mm	
DRK-SP0102S-C14	2 x 7W			L130 x W69 x H84mm	120 x 60mm	
DRK-SP0102S-C24	2 x 12W			L180 x W91 x H112mm	164 x 77mm	
DRK-SP0102S-C40	2 x 20W			L224 x W110 x H134mm	207 x 95mm	



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP0102RT-C14	2 x 7W	3000K/4000K/5000K	80~90lm/w	H84mm	Φ129 x 68mm	5 years
DRK-SP0102RT-C24	2 x 12W			H112mm	Φ180 x 91mm	
DRK-SP0102RT-C40	2 x 20W			H134mm	Φ225 x 111mm	
DRK-SP0102ST-C14	2 x 7W			H84mm	123 x 62mm	
DRK-SP0102ST-C24	2 x 12W			H112mm	167 x 80mm	
DRK-SP0102ST-C40	2 x 20W			H134mm	209 x 97mm	

ECO LED SPOTLIGHT

LED SPOTLIGHT: ECO SERIES



ROUND



- CREE CITIZEN BRIDGELUX
- TRIDONIC PHILIPS LIFUD
- AC 200~240V 50/60Hz
- Ra CRI >80/CRI >90/CRI >95
- DIMMABLE DALI/TRAIC/1-10V
- 15°/24°/38°
- Φ55mm/Φ75mm/Φ95mm/Φ120mm





SQUARE










TRIMLESS

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02RE-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ63 x H63mm	Φ55mm	5 years
DRK-SP03RE-C7	7W			Φ85 x H76mm	Φ75mm	
DRK-SP03RE-C9	9W			Φ85 x H76mm	Φ75mm	
DRK-SP03RE-C12	12W			Φ85 x H93mm	Φ75mm	
DRK-SP03RE-C15	15W			Φ85 x H93mm	Φ75mm	
DRK-SP04RE-C20	20W			Φ105 x H99mm	Φ95mm	
DRK-SP05RE-C30	30W			Φ130 x H115mm	Φ120mm	


LED SPOTLIGHT: ECO SERIES











-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI >80/CRI >90/CRI >95
-  DALI/TRAIC/1-10V
-  15°/24°/38°
-  55 x 55mm/75 x 75mm/95 x 95mm/120 x 120mm

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02SE-C5	5W	3000K/4000K/5000K	80~90lm/w	L63 x W63 x H63mm	55 x 55mm	5 years
DRK-SP03SE-C7	7W			L85 x W85 x H76mm	75 x 75mm	
DRK-SP03SE-C9	9W			L85 x W85 x H76mm	75 x 75mm	
DRK-SP03SE-C12	12W			L85 x W85 x H93mm	75 x 75mm	
DRK-SP03SE-C15	15W			L85 x W85 x H93mm	75 x 75mm	
DRK-SP04SE-C20	20W			L105 x W105 x H99mm	95 x 95mm	
DRK-SP05SE-C30	30W			L130 x W130 x H115mm	120 x 120mm	

LED SPOTLIGHT: ECO SERIES





-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI >80/CRI >90/CRI >95
-  DALI/TRAIC/1-10V
-  15°/24°/38°
-  Φ65mm/Φ85mm/Φ105mm












Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02TE-C5	5W	3000K/4000K/5000K	80~90lm/w	H70mm	Φ65mm	5 years
DRK-SP03TE-C7	7W			H83mm	Φ85mm	
DRK-SP03TE-C9	9W			H83mm	Φ85mm	
DRK-SP03TE-C12	12W			H100mm	Φ85mm	
DRK-SP03TE-C15	15W			H100mm	Φ85mm	
DRK-SP04TE-C20	20W			H107mm	Φ105mm	

LED STRETCHABLE SPOTLIGHT



ROUND | SQUARE











-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI >80/CRI >90/CRI >95
-  DIMMABLE DALI/TRAIC/1-10V
-  10°/15°/24°/38°/50°
-  Φ55mm/Φ75mm/Φ95mm


LED STRETCHABLE SPOTLIGHT

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02R-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ62 x H86mm	Φ55mm	5 years
DRK-SP02R-C7	7W			Φ84 x H104mm	Φ75mm	
DRK-SP02R-C12	12W			Φ84 x H104mm	Φ75mm	
DRK-SP02R-C20	20W			Φ110 x H127mm	Φ95mm	

LED STRETCHABLE SPOTLIGHT



-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  CRI >80/CRI >90/CRI >95
-  DALI/TRAIC/1-10V
-  10°/15°/24°/38°/50°
-  55 x 55mm/75 x 75mm/95 x 95mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02S-C5	5W	3000K/4000K/5000K	80~90lm/w	L64 x W64 x H94mm	55 x 55mm	5 years
DRK-SP02S-C7	7W			L85 x W85 x H116mm	75 x 75mm	
DRK-SP02S-C12	12W			L85 x W85 x H116mm	75 x 75mm	
DRK-SP02S-C20	20W			L105 x W105 x H144mm	95 x 95mm	

LED STRETCHABLE SPOTLIGHT










DRK-SP0202S



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP0202R-C10	2 x 5W	3000K/4000K/5000K	80~90lm/w	L140 x W79 x H84mm	Φ126 x 65mm	5 years
DRK-SP0202R-C14	2 x 7W			L194 x W104 x H112mm	Φ178 x 88mm	
DRK-SP0202R-C24	2 x 12W			L194 x W104 x H112mm	Φ178 x 88mm	
DRK-SP0202R-C40	2 x 20W			L239 x W125 x H142mm	Φ223 x 109mm	
DRK-SP0202S-C10	2 x 5W	3000K/4000K/5000K	80~90lm/w	L130 x W69 x H91mm	120 x 60mm	5 years
DRK-SP0202S-C14	2 x 7W			L180 x W91 x H116mm	164 x 77mm	
DRK-SP0202S-C24	2 x 12W			L180 x W91 x H116mm	164 x 77mm	
DRK-SP0202S-C40	2 x 20W			L224 x W110 x H142mm	207 x 95mm	

DRK-SP0202R





-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  CRI >80/CRI >90/CRI >95
-  DALI/TRAIC/1-10V
-  10°/15°/24°/38°/50°
-  126 x 65mm/178 x 88mm/223 x 109mm/120 x 60mm/164 x 77mm/207 x 95mm










TRIMLESS LED STRETCHABLE SPOTLIGHT





LED STRETCHABLE SPOTLIGHT: TRIMLESS SERIES




-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI >80/CRI >90/CRI >95
-  DIMMABLE DALI/TRAIC/1-10V
-  10°/15°/24°/38°/50°
-  Ø58mm/Ø77mm/Ø97mm

Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02RT-C5	5W	3000K/4000K/5000K	80~90lm/w	H86mm	Ø58mm	5 years
DRK-SP02RT-C7	7W			H104mm	Ø77mm	
DRK-SP02RT-C12	12W			H104mm	Ø77mm	
DRK-SP02RT-C20	20W			H127mm	Ø97mm	

LED STRETCHABLE SPOTLIGHT: TRIMLESS SERIES



- CREE CITIZEN BRIDGELUX
- TRIDONIC PHILIPS LIFUD
- AC 200~240V 50/60Hz
- Ra CRI >80/CRI >90/CRI >95
- DIMMABLE DALI/TRAIC/1-10V
- 10°/15°/24°/38°/50°
- 58 x 58mm/77 x 77mm/97 x 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02ST-C5	5W	3000K/4000K/5000K	80~90lm/w	H94mm	58 x 58mm	5 years
DRK-SP02ST-C7	7W			H116mm	77 x 77mm	
DRK-SP02ST-C12	12W			H116mm	77 x 77mm	
DRK-SP02ST-C20	20W			H144mm	97 x 97mm	

LED STRETCHABLE SPOTLIGHT: TRIMLESS SERIES




DRK-SP02ST



DRK-SP02RT




- CREE CITIZEN BRIDGELUX
- TRIDONIC PHILIPS LIFUD
- AC 200~240V 50/60Hz
- Ra CRI >80/CRI >90/CRI >95
- DIMMABLE DALI/TRAIC/1-10V
- 10°/15°/24°/38°/50°
- 129 x 68mm/180 x 91mm/225 x 111mm/123 x 62mm/167 x 80mm/209 x 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
DRK-SP02RT-C10	2 x 5W	3000K/4000K/5000K	80~90lm/w	H91mm	Φ129 x 68mm	5 years
DRK-SP02RT-C14	2 x 7W			H116mm	Φ180 x 91mm	
DRK-SP02RT-C24	2 x 12W			H116mm	Φ180 x 91mm	
DRK-SP02RT-C40	2 x 20W			H142mm	Φ225 x 111mm	
DRK-SP02ST-C10	2 x 5W			H91mm	120 x 62mm	
DRK-SP02ST-C14	2 x 7W			H116mm	167 x 80mm	
DRK-SP02ST-C24	2 x 12W			H116mm	167 x 80mm	
DRK-SP02ST-C40	2 x 20W			H142mm	209 x 97mm	

LIGHT THE FUTURE




 020 7018 2202

 info@drklighting.co.uk

 www.drklighting.co.uk

 DRK Lighting

 DRK Lighting

 [drklightsuplondon](https://www.instagram.com/drklightsuplondon)